

# GSK Material Request Form



Please fill out your details on the form provided and email to GSK Vaccines Department: [au.vaccines@gsk.com](mailto:au.vaccines@gsk.com) or post to GlaxoSmithKline, PO Box 18095 Melbourne 8003 **PLEASE PRINT IN BLOCK LETTERS**

Title: \_\_\_\_\_ Name: \_\_\_\_\_ Occupation: \_\_\_\_\_

Organisation: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

I would like to speak with a GSK Representative

## HEALTHCARE PROFESSIONAL RESOURCES

**SHINGRIX (FOR HCPs)**

SHINGRIX must be reconstituted prior to administration. The powder and excipient should be inspected visually for any particulate matter or colour other than the expected appearance (i.e. white powder and clear liquid). Do not use if any change in appearance is observed.

1 Withdraw the entire contents of the vial containing the suspension into the syringe. 2 Add the entire contents of the vial containing the powder into the syringe. 3 Shake gently until the powder is completely dissolved.

4 Inspect the vaccine for any foreign particulate matter and/or variation of appearance. If any change in appearance is observed, do not administer the vaccine.

5 Withdraw the entire contents of the vial containing the reconstituted vaccine into the syringe. 6 Change the needle so that you are using a new needle to administer the vaccine.

SHINGRIX is a recombinant zoster virus glycoprotein E (gE) adjuvanted vaccine. It is a live attenuated vaccine. It is a single-dose vaccine and is not to be administered to more than one patient only.

Scan the QR code to access a video guide on SHINGRIX reconstitution

**RECONSTITUTION GUIDE**  
PM-AU-SGX-LBND-230018

QTY \_\_\_\_\_

**SHINGRIX (FOR HCPs)**

FOR YOUR PATIENTS 50+ YEARS OLD, YOU CAN'T ALWAYS PREDICT WHEN SHINGLES WILL OCCUR.<sup>1,2</sup> HELP PREVENT IT WITH SHINGRIX.<sup>4</sup>

WHY IS IT IMPORTANT FOR YOU TO RECOMMEND SHINGLES VACCINATION?

APPROXIMATELY 40% OF PEOPLE AGED 40-49 YEARS SAY THEY WOULD NOT GET SHINGLES VACCINATION.<sup>1</sup> SHINGRIX IS THE FIRST AND ONLY SHINGLES VACCINE APPROVED FOR USE IN PEOPLE AGED 50+.

SHINGRIX IS A RECOMBINANT ZOSTER VIRUS GLYCO-PROTEIN E (gE) ADJUVANTED VACCINE. IT IS A LIVING ATTENUATED VACCINE.

**SHINGRIX HCP DISCUSSION GUIDE**  
PM-AU-SGX-LBND-210011

QTY \_\_\_\_\_

**SHINGRIX (FOR HCPs)**

SHINGRIX IS AN OPPORTUNITY TO PROTECT SOME OF YOUR MOST VULNERABLE PATIENTS WHO MAY BE AT INCREASED RISK OF SHINGLES.

YOUR PATIENTS 50+ YEARS OLD MAY BE AT RISK OF SHINGLES, NO MATTER HOW HEALTHY THEY MAY FEEL.<sup>2</sup> Shingles is a rare but serious disease that can affect anyone, but it is more common in people 50 years of age and older.

Up to 99.5% of people aged 50+ years have had shingles at some point in their lifetime.<sup>1</sup> About 1 in 3 people aged 50+ will get shingles at some point in their lifetime.

SHINGLES CAN BE PAINFUL, AND CAN HAVE SERIOUS AND LONG-LASTING COMPLICATIONS.<sup>1,2</sup> Shingles is a painful disease that can last for months, causing long-term complications such as chronic pain, nerve damage, and depression.

**SHINGRIX NATIONAL IMMUNISATION PROGRAM DISCUSSION GUIDE**  
PM-AU-SGX-LBND-230043

QTY \_\_\_\_\_

**SHINGRIX (FOR USE WITH PATIENTS)**

WHAT DO I NEED TO KNOW ABOUT SHINGLES?

WHAT CAUSES SHINGLES?

WHAT ARE THE SYMPTOMS OF SHINGLES?

WHAT ARE POSSIBLE COMPLICATIONS OF SHINGLES?

RECORD OF VACCINATION:

Save this tear-off as a handy reminder!

1. Received dose of Shingrix on \_\_\_\_\_  
2. Received dose of Shingrix on \_\_\_\_\_  
Date: \_\_\_\_\_ Time: \_\_\_\_\_  
Location: \_\_\_\_\_ Phone: \_\_\_\_\_

**WHAT YOU NEED TO KNOW 20 PAGE A4 TEAR OFF PAD**  
NP-AU-SGX-LBND-230003

QTY \_\_\_\_\_

**SHINGRIX (FOR USE WITH PATIENTS)**

RECEIVING SHINGRIX VIA THE NATIONAL IMMUNISATION PROGRAM (NIP) WHAT DO I NEED TO KNOW ABOUT SHINGLES?

WHAT CAUSES SHINGLES?

WHAT ARE THE SYMPTOMS OF SHINGLES?

WHAT ARE POSSIBLE COMPLICATIONS OF SHINGLES?

RECORD OF VACCINATION:

Save this tear-off as a handy reminder!

1. Received dose of Shingrix on \_\_\_\_\_  
2. Received dose of Shingrix on \_\_\_\_\_  
Date: \_\_\_\_\_ Time: \_\_\_\_\_  
Location: \_\_\_\_\_ Phone: \_\_\_\_\_

**NATIONAL IMMUNISATION PROGRAM WHAT YOU NEED TO KNOW 20 PAGE A4 TEAR OFF PAD**  
NP-AU-SGX-LBND-230004

QTY \_\_\_\_\_

**SHINGRIX (FOR HCPs)**

YOU CAN'T ALWAYS PREDICT WHEN SHINGLES WILL OCCUR.<sup>1,2</sup> YOU CAN HELP PREVENT IT WITH SHINGRIX.<sup>4</sup>

In Australia, the National Immunisation Program (NIP) and general practitioners provide the vaccine to all 50 years of age and older.

**SHINGRIX PRESENTATION FOLDER**  
PM-AU-SGX-HO-230001

QTY \_\_\_\_\_

# GSK Material Request Form

GSK

## DISEASE AWARENESS MATERIAL

SHINGLES EDUCATION (FOR PATIENTS)



**1 IN 3 PEOPLE WILL DEVELOP SHINGLES in their lifetime<sup>1-4</sup>**

Regardless of how healthy you feel, if you're 50 years or older, you could be at risk of developing shingles.<sup>1-4</sup>

**SPEAK TO YOUR HEALTHCARE PROFESSIONAL ABOUT SHINGLES AND HOW YOU CAN HELP PROTECT YOURSELF TODAY**

**VISIT KNOWSHINGLES.COM.AU TO LEARN MORE OR SCAN THE QR CODE**

QTY \_\_\_\_\_

NP-AU-HZU-PSTR-230001

SHINGLES EDUCATION (FOR PATIENTS)



**1 IN 3 PEOPLE WILL DEVELOP SHINGLES in their lifetime<sup>1-4</sup>**

Regardless of how healthy you feel, if you're 50 years or older, you could be at risk of developing shingles.<sup>1-4</sup>

**SPEAK TO YOUR HEALTHCARE PROFESSIONAL ABOUT SHINGLES AND HOW YOU CAN HELP PROTECT YOURSELF TODAY**

**VISIT KNOWSHINGLES.COM.AU TO LEARN MORE OR SCAN THE QR CODE**

QTY \_\_\_\_\_

NP-AU-HZU-PSTR-230001

SHINGLES EDUCATION (FOR PATIENTS)



**1 IN 3 PEOPLE WILL DEVELOP SHINGLES in their lifetime<sup>1-4</sup>**

Regardless of how healthy you feel, if you're 50 years or older, you could be at risk of developing shingles.<sup>1-4</sup>

**SPEAK TO YOUR HEALTHCARE PROFESSIONAL ABOUT SHINGLES AND HOW YOU CAN HELP PROTECT YOURSELF TODAY**

**VISIT KNOWSHINGLES.COM.AU TO LEARN MORE OR SCAN THE QR CODE**

QTY \_\_\_\_\_

NP-AU-HZU-PSTR-230001

SHINGLES EDUCATION (FOR PATIENTS)



**Shingles is Sleeping**

The virus that causes shingles lies dormant in nearly all adults aged 50 and over.

Immunity weakens with age and can allow the virus to reactivate without warning. About 1 in 3 people will develop shingles.

Think you're not at risk for shingles? It's time to wake up, because shingles could wake up in you.

**KNOW SHINGLES.COM.AU**

QTY \_\_\_\_\_

NP-AU-HZU-PSTR-230002

SHINGLES EDUCATION (FOR PATIENTS)



**Shingles is Sleeping**

The virus that causes shingles lies dormant in nearly all adults aged 50 and over.

Immunity weakens with age and can allow the virus to reactivate without warning. About 1 in 3 people will develop shingles.

Think you're not at risk for shingles? It's time to wake up, because shingles could wake up in you.

**KNOW THE QR CODE TO LEARN MORE ABOUT SHINGLES**

QTY \_\_\_\_\_

NP-AU-HZU-PSTR-230002

SHINGLES EDUCATION (FOR PATIENTS)



**"BURNING, SCALDING, SEARING PAIN"**

This is how some people describe their shingles pain.<sup>1</sup> Some people describe it as a sharp, stinging, shooting, or stabbing pain, or as a burning, scalding, or searing pain.<sup>1</sup> Some people describe it as a very sharp, intense, or excruciating pain.<sup>1</sup> Some people describe it as a sharp, stinging, shooting, or stabbing pain.<sup>1</sup>

**SHINGLES PAIN HAS THE POTENTIAL TO IMPACT YOUR SOCIAL LIFE, YOUR MOOD AND YOUR SLEEP.<sup>1,2</sup>**

**KNOW THE FACTS ABOUT SHINGLES AND THE IMPACT IT CAN HAVE ON YOU**

QTY \_\_\_\_\_

NP-AU-HZU-BROC-230001

SHINGLES EDUCATION (FOR PATIENTS)



**أَلْمٌ حارق، لَادُع، لَافح\***

أَعْرِفُ الْحَقَّاَنَعَ عَنْ مَرْضِ الْحَارِمِ الْأَنَارِيِّ

أَمْرُضَ الْحَارِمِ الْأَنَارِيِّ يُمْكِنُ أَنْ يَؤْثِرَ عَلَى جَمِيعِ الْأَنْتَجِعَيَّةِ

وَعَلَى مَرْجِعِكَ بِهَوْلِكَ

Arabic

QTY \_\_\_\_\_

NP-AU-HZU-BROC-230001

SHINGLES EDUCATION (FOR PATIENTS)



**«ΚΑΨΙΜΟ, ΖΕΜΑΤΙΣΜΑ, ΤΣΟΥΧΤΕΡΟΣ ΠΟΝΟΣ,\***

Ο ΠΟΝΟΣ ΛΙΟ ΕΡΗΤΙΑ ΖΩΣΤΗΡΑ ΕΧΕΙ ΤΗ ΔΥΝΑΤΟΤΗΤΑ ΝΑ ΕΠΙΤΡΕΨΕΙ ΤΗΝ ΚΟΙΝΟΓΥΓΜΑ ΕΑΣ ΖΩΗ, ΤΗ ΔΙΑΒΕΣΙΑ ΣΑΣ ΚΑΙ ΤΗΝ ΥΓΕΙΑ ΣΑΣ.<sup>1,2</sup>

ΓΝΩΡΙΣΤΕ ΤΗΝ ΠΡΑΓΜΑΤΙΚΟΤΗΤΑ ΣΧΕΤΙΚΑ ΜΕ ΤΟΝ ΕΡΗΤΙΑ ΖΩΣΤΗΡΑ ΚΑΙ ΤΟΝ ΑΝΤΙΚΤΥΧΟ ΤΟΥ ΜΠΟΡΕΙ ΝΑ ΣΕΙΣ ΣΕ ΕΛΛΑΣ.

Greek

QTY \_\_\_\_\_

NP-AU-HZU-BROC-230001

SHINGLES EDUCATION (FOR PATIENTS)



**“好像火烧、水烫一样的剧痛”**

有些人这样描述带状疱疹时的疼痛。<sup>1</sup>有些人描述它为刺痛、烧灼感、刺痛或灼痛。<sup>1</sup>有些人描述它为刺痛、烧灼感、刺痛或灼痛。<sup>1</sup>有些人描述它为刺痛、烧灼感、刺痛或灼痛。<sup>1</sup>

带状疱疹的疼痛可能会影响患者的社交生活、情绪和睡眠。<sup>1,2</sup>

了解有关带状疱疹的真实情况 及其可能对您造成的影响

Chinese Simplified

QTY \_\_\_\_\_

NP-AU-HZU-BROC-230001

SHINGLES EDUCATION (FOR PATIENTS)



**“好像火燒、水燙一樣的劇痛”**

有些人这样描述带状疱疹时的疼痛。<sup>1</sup>有些人描述它为刺痛、烧灼感、刺痛或灼痛。<sup>1</sup>有些人描述它为刺痛、烧灼感、刺痛或灼痛。<sup>1</sup>有些人描述它为刺痛、烧灼感、刺痛或灼痛。<sup>1</sup>

带状疱疹的疼痛可能会影响患者的社交生活、情绪和睡眠。<sup>1,2</sup>

瞭解有關帶狀皰疹的真實情況 及其可能對您造成的影响

Chinese Traditional

QTY \_\_\_\_\_

NP-AU-HZU-BROC-230001

## How you can stay informed with GSK

**GSK believes it is important to provide timely and useful information related to our medicines and vaccines to add value to your practice. If you would like to embark on a digital journey with us, we will need your email consent.**

### Examples of what you can expect to receive:

- Scientific updates
- Webinars and events (e.g. webinar invitations and post symposium highlights)
- Information about our products
- Disease awareness materials (e.g. patient videos, brochures)

To access the above please use the QR code or link: [www.stayinformed.gskpro.com.au](http://www.stayinformed.gskpro.com.au)



**Please review full SHINGRIX Product Information before prescribing. Product Information can be accessed at [www.gsk.com.au/shingrix](http://www.gsk.com.au/shingrix)**

**PBS Information:** SHINGRIX is listed on the National Immunisation Program (NIP) for Aboriginal and Torres Strait Islander adults aged  $\geq 50$  years, for all individuals aged  $\geq 65$  years and for adults aged  $\geq 18$  years with some immunocompromising medical risk conditions. Refer to NIP schedule or your State or Territory Health department.

▼ This medicinal product is subject to additional monitoring in Australia. This will allow quick identification of new safety information. Healthcare professionals are asked to report any suspected adverse events at [www.tga.gov.au/reportingproblems](http://www.tga.gov.au/reportingproblems)

We, GlaxoSmithKline Australia Pty Ltd ABN 47 100 162 481 collect, use and disclose personal information about you so we can perform our business activities and functions. We collect your personal information in order to administer medical education programs or other similar programs organised by us, send you material on and contact you regarding our activities and products. If we do not collect your personal information we may be unable to provide you with all of our services, for example information regarding our programs, events, services or products which may be of benefit to you. We will only disclose your personal information as necessary to third parties that we use in the ordinary operation of our business, such as for conference organising, marketing, data processing and associated printing and mailing. We will not disclose your personal information overseas. Our privacy policy can be found at <http://www.gsk.com.au/privacy.aspx> and contains information about how you may access and correct personal information held by us and how you can complain about a breach of privacy and how we will deal with such a complaint.

For information on GSK products or to report an adverse event involving a GSK product, please contact GSK Medical Information on 1800 033 109.

GlaxoSmithKline Australia Pty Ltd. Melbourne, VIC. Trade marks are owned by or licensed to the GSK group of companies  
©2023 GSK group of companies or its licensor PM-AU-AVX-BROC-210001 Date of approval: January 2024